



Test Report/ Certificate of Analysis



Date of Report August 24, 2026
To: USA MADE
From: AxisPharm, LLC

Certificate ID Number: 27Aug2026-22
Results reported by: Archer Liu


Review/Approved by: 
QA Director
Dawei Yue

Sample Received: Date: 08/26/2026
Receiving Condition: Acceptable
Storage Condition: Room temperature

Sample Name: TRIPLE BIO REGULATOR; Brand Name: USA
MADE; Lot#: TBR-5-220-26; MFD: 08/2026; BBD: 08/2028

Method(s): LCMS

Results:



Sample Name	Net Weight Measured (mg)	MW (g/mol)	Detected	UV Purity (%)
TRIPLE BIO REGULATOR	4.7	4731.33	2367.0[M+2H]/1578.9[M+3H]	98.5%

AxisPharm, LLC

Results only apply to tested Research Use Only samples within Test Report as received. Not for use in humans or animals. Analytical data apply only to the batch tested and do not indicate suitability for diagnostic or therapeutic use. Any unauthorized alteration, reproduction, or relabeling of this COA renders it invalid.



Test Report/ Certificate of Analysis



Salts and sugars that serves as fillers in injectables/nasal sprays/oral stripes are not considered as impurities. Conclusion: The samples comes with TRIPLE BIO REGULATOR, 4.7mg and with purity of 98.5% by UV.

AxisPharm, LLC

Results only apply to tested Research Use Only samples within Test Report as received. Not for use in humans or animals. Analytical data apply only to the batch tested and do not indicate suitability for diagnostic or therapeutic use. Any unauthorized alteration, reproduction, or relabeling of this COA renders it invalid.